





LOUVOLITE

SMART SHADING

SIMPLE. SAFE. CONVENIENT

Roller | Vision[®] | Roman | Perfect Fit[®] | Vertical | Allusion[®]

Louvolite is proud to offer an innovative range of battery operated and mains powered window blinds. Louvolite One Touch® makes luxury affordable with motorisation that is accessible to all.

Make an impression with stunning window blinds that can be operated at the touch of a button. Simple, convenient and easy to use, Louvolite One Touch® blinds are operated by remote control that allows you to raise or lower one or a number of blinds at a time, depending on your requirements.

The rechargeable battery powered motors remove the need for mains wiring, making them easy to install and without disruption to your home decoration.

Our impressive hard wired AC motors easily lift bigger, wider and heavier blinds and being mains powered they never need charging.

There is no better way to make a contemporary style statement in your home.


Ask your local blind supplier about the Louvolite One Touch® motorised range.

















WHAT CAN YOU MOTORISE?

Motorise the classic roller, vertical and roman window blinds as well as the more contemporary Vision®, Allusion®, Perfect Fit® roller and Perfect Fit® Vision blinds.









FEEL IN CONTROL

WHEN AT HOME OR AWAY









Opening and closing each window blind in your home manually can be quite time consuming and inconvenient, but with motorisation, operating your blind is quick and easy.

Use remote and voice control within your home, or operate and set schedules remotely with your smart device.

Using your Wi-Fi, the Louvolite Home Hub connects smart devices to your window shading motors so you can use platforms like the app, Google Home, Amazon Alexa, Siri and Control4*.

The app, available for iOS and Android, provides additional options such as multi room control and the ability to set timers and daily schedules which is great for energy saving or so your home looks occupied even when you're not there.

Sometimes the little things are the big things and Louvolite One Touch® makes life more convenient, safe, and enjoyable.



PEACE OF MIND DESIGN

With no operating chains and cords, motorisation creates a child and pet safe environment (one less thing to worry about) and the blind looks so sleek at the window.

Motorised window shading combines function, style and convenience, allowing you to let light in when you want it and provide privacy when you need it, ensuring the ones you care about and your home are safe and protected.



RECHARGEABLE 500

LITHIUM BATTERY 0.5Nm MOTOR

Designed to fit 32mm tubes, for blinds up to 1.8m wide Can be used with Roller, Vision® and Roman blinds

FEATURES

- Retrofits into an existing blind that uses 32mm tube, so you can easily upgrade from chain control to motorised.
- Ultra quiet the 500 uses a patented helical gear design which reduces motor noise level to 30db.
- Soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- Motor beeps and moves blind slower when battery is low.
- Recharge using the 5V micro USB wall plug adapter charger (3m cable).

PERFORMANCE PARAMETERS

Rated Torque	0.5Nm
Rated RPM	30rpm
Motor Diameter	22mm
Rated Voltage	DC5V
Rated Power	6.7W
Rated Current	1.1A
IP Class	IP44
Inbuilt Receiver	Yes
Minimum Blind Width with open cassette	460mm
Weight Capacity	1.9kgs



OPERATE BY

REMOTE CONTROL

Single, 6 and 16 channel and timer remote

VOICE CONTROL

with Amazon Alexa, Google Home and Siri

APP CONTROL

RECHARGEABLE 1200

LITHIUM BATTERY 1.2Nm MOTOR

Designed to fit 35 & 40mm tubes, for blinds up to 2.5m wide Can be used with Roller, Vision® and Roman blinds

FEATURES

- Quick and easy installation, no wiring needed.
- Ultra quiet operation only 30db!
- Soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- Motor beeps and moves blind slower when battery is low.
- Recharge with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Torque	1.2Nm
Rated RPM	25rpm
Motor Diameter	25mm
Rated Voltage	DC7.4V
Rated Power	6.7W
Rated Current	900mA
IP Class	IP44
Inbuilt Receiver	Yes
Minimum Blind Width with open cassette	510mm
Weight Capacity	3.5kgs



OPERATE BY

REMOTE CONTROL

Single, 6 and 16 channel and timer remote

VOICE CONTROL

with Amazon Alexa, Google Home and Siri

APP CONTROL

RECHARGEABLE 1200-SHORT

LITHIUM BATTERY 1.2Nm MOTOR

Designed to fit 35 & 40mm tubes, for blinds up to 2.5m wide Can be used with Roller, Vision® and Roman blinds

FEATURES

- Motorise blinds as narrow as 355mm great for narrow windows!
- Quick and easy installation, no wiring needed.
- Ultra quiet operation only 30db! with soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- 1200-Short has a connected external battery pack which is easily replaceable.
- Motor beeps and moves blind slower when battery is low.
- Recharge external battery pack with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Torque	1.2Nm
Rated RPM	25rpm
Motor Diameter	25mm
Rated Voltage	DC7.4V
Rated Power	6.7W
Rated Current	900mA
IP Class	IP44
Inbuilt Receiver	Yes
Minimum Blind Width with open cassette	355mm
Weight Capacity	3.5kgs



OPERATE BY

REMOTE CONTROL

Single, 6 and 16 channel and timer remote

VOICE CONTROL

with Amazon Alexa, Google Home and Siri

APP CONTROL

RECHARGEABLE 1800

LITHIUM BATTERY 1.8Nm MOTOR

Designed to fit 40 & 45mm tubes, for blinds up to 3.5m wide Can be used with Roller and Vision® blinds

FEATURES

- Easy and quick installation, no wiring needed.
- Extremely quiet operation with soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- 6kg motor weight capacity enables operation of several blinds using the drive link system.
- Motor beeps and moves blind slower when battery is low.
- Recharge with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Torque	1.8Nm
Rated RPM	25rpm
Motor Diameter	28mm
Rated Voltage	DC7.4V
Rated Power	6.7W
Rated Current	900mA
IP Class	IP44
Inbuilt Receiver	Yes
Minimum Blind Width with open cassette	650mm
Weight Capacity	6kgs



OPERATE BY

REMOTE CONTROL

Single, 6 and 16 channel and timer remote

VOICE CONTROL

with Amazon Alexa, Google Home and Siri

APP CONTROL

MAINS POWERED 1500

HARD WIRED AC 1.5Nm MOTOR

Designed to fit 35, 40 & 45mm tubes, for blinds up to 3m wide Can be used with Roller and Roman blinds

FEATURES

- A highly efficient mains powered AC motor system that lifts blinds up to 3m wide or with a 3.5m drop.
- The 1500's heavier weight lifting capabilities enables the use of one motor to operate several blinds using the drive link system.
- Operate up to 15 blinds individually or altogether with the push button remote - great in commercial spaces!
- Set limits to stop blind at a higher, mid and lower point.

PERFORMANCE PARAMETERS

Rated Torque	1.5Nm
Rated RPM	32rpm
Motor Diameter	25mm
Rated Voltage	DC110V/230V
Rated Power	15.3W
Rated Current	130mA
IP Class	IP44
Cable	2 Core
Inbuilt Receiver	Yes
Minimum Blind Width	500mm
Weight Capacity *using Carnival fabric	5kgs *approx. 3m x 3.5m



OPERATE BY

REMOTE CONTROL 15 channel remote VOICE
CONTROL
with Amazon Alexa,
Google Home

and Siri

APP
CONTROL
on a mobile phone
or tablet and with

MAINS POWERED 6000

HARD WIRED AC 6Nm MOTOR

Designed to fit 55mm tubes, for blinds up to 4m wide Can be used with Roller and Roman blinds

FEATURES

- A highly efficient mains powered AC motor system that lifts bigger, wider and heavier blinds
 ideal for large, wide windows.
- Lifts blinds up to 4m wide or with a 6m drop.
- The 6000's heavier weight lifting capabilities enables the use of one motor to operate several blinds using the drive link system.
- Operate up to 15 blinds individually or altogether with the push button remote great in commercial spaces!
- Set limits to stop blind at a higher, mid and lower point.

PERFORMANCE PARAMETERS

Rated Torque	6Nm
Rated RPM	28rpm
Motor Diameter	35mm
Rated Voltage	DC230V
Rated Power	144W
Rated Current	630mA
IP Class	IP44
Cable	3 Core
Inbuilt Receiver	Yes
Minimum Blind Width	650mm
Weight Capacity *using Carnival fabric	12kgs *approx. 4m x 6m



OPERATE BY

REMOTE CONTROL 15 channel remote VOICE CONTROL with Amazon Alexa, Google Home

and Siri

APP
CONTROL
on a mobile phone
or tablet and with

PERFECT FIT

RECHARGEABLE LITHIUM BATTERY 0.3Nm MOTOR

Designed to fit the 25mm Perfect Fit tube, for blinds up to 1.4m wide

Can be used with Roller and Vision® Perfect Fit blinds

FEATURES

- The motor and tube are discreetly housed within the Perfect Fit frame which clips onto uPVC window and door frames allowing the blind to move with the windows and doors when used.
- Operate up to 15 blinds individually or altogether with the push button remote - great for orangeries!
- Set limits to stop blind at a highest, mid and lowest point.
- Recharge using the 5V micro USB wall plug adapter charger (3m cable).

PERFORMANCE PARAMETERS

Rated Torque	0.3Nm
Rated RPM	30rpm
Motor Diameter	15mm
Rated Voltage	DC5V
Rated Power	3W
Rated Current	600mA
IP Class	IP20
Inbuilt Receiver	No
Minimum Blind Width with open cassette	400mm
Weight Capacity	1kgs



OPERATE BY

REMOTE CONTROL 15 channel remote VOICE CONTROL with Amazon Alexa, Google Home

and Siri

APP
CONTROL
on a mobile phone
or tablet and with
Control4

SLIMLINE VOGUE®

RECHARGEABLE LITHIUM BATTERY 0.1Nm MOTOR

Designed to fit the Slimline Vogue® track, for blinds up to 3m wide Can be used with Vertical and Allusion® blinds

FEATURES

- Motorised 0°, 45°, 90°, 135° and 180° louvre rotation - great for adjusting to the sun's movement and any incoming glare.
- Easy and guick installation, no wiring needed.
- Fits onto the end of the track with the motor discreetly concealed behind the track.
- For blinds up to 3m wide or 6.5m².
- Use the app to set the blind to fully close in the evening and open in the morning.
- Warning light flashes when battery is low.
- Recharge using the 5V micro USB wall plug adapter charger (3m cable).
- Use the wand to fully draw open or closed.

PERFORMANCE PARAMETERS

Rated Torque	0.1Nm
Rated RPM	42rpm
Motor Diameter	12mm
Rated Voltage	DC4.2V
Rated Power	0.67W
Rated Current	160mA
IP Class	IP20
Inbuilt Receiver	Yes
Minimum Blind Width	200mm



OPERATE BY

REMOTE CONTROL 5 channel remote VOICE CONTROL with Google Home APP
CONTROL
on a mobile phone
or tablet and with
Control4















View the full collection by visiting your local stockist or our website, where you can order complimentary fabric samples.

www.louvolite.com

JJJJ LOUVOLITE